

**Fifth Semester B.E. Degree Examination, Dec.2015/Jan.2016**  
**DC Machines and Synchronous Machines**

Time: 3 hrs.

Max. Marks:100

**Note: Answer FIVE full questions, selecting  
at least TWO questions from each part.**

**PART – A**

- 1
  - a. Explain with a neat sketch, the construction of DC machine. (08 Marks)
  - b. What is difference between lap and wave type of armature windings? (Any four) (06 Marks)
  - c. A short shunt compound dc generator supplies a current of 50 A at a voltage of 200 V. Calculate the generated voltage, if the resistance of the armature, shunt and series field winding are  $0.04\ \Omega$ ,  $50\ \Omega$  and  $0.02\ \Omega$  respectively. (06 Marks)
- 2
  - a. Derive an expression for torque developed by an armature of a DC motor. (06 Marks)
  - b. Explain any two method of speed control of a dc shunt motor. (08 Marks)
  - c. A dc series motor developing 40 NM torque is subjected to the condition that makes field flux to decrease by 30% and armature current to increase by 15%. Calculate the new torque. (06 Marks)
- 3
  - a. Define the efficiency of DC machine and write the condition for maximum efficiency. (05 Marks)
  - b. With a neat sketch, explain briefly the condition to determine the efficiency of a given DC motor by Swineburn's test. (08 Marks)
  - c. A 440 V, dc shunt motor runs no load current of 2.5 A, the resistance of shunt field and series field are  $550\ \Omega$  and  $1.2\ \Omega$  respectively. The full load current is 32 A. Find the full load output and efficiency of motor. (07 Marks)
- 4
  - a. Write short notes on: i) Retardation test, ii) Field's test. (12 Marks)
  - b. A retardation test is made on a separately excited dc machine as a motor. The induced voltage falls from 240 V to 220 V in 25 seconds on opening armature circuit and in 6 seconds on suddenly changing the armature connections from supply to a load resistance which takes on average current of 10 A. Find efficiency of machine when running on a motor taking a current of 25 A on a supply of 250 V. The resistance of the armature is  $0.3\ \Omega$  and that the field winding is  $200\ \Omega$ . (08 Marks)

**PART – B**

- 5
  - a. Explain the detail of the constructional features of a three phase alternator. (08 Marks)
  - b. Derive the expression for pitch factor and distribution factor. (06 Marks)
  - c. A  $3\phi$ , 50 Hz, 10 pole alternator has 90 slots. The flux/pole is 0.15 web, if the winding is to be star connected to give a line voltage of 11000 V. Find the number of armature conductors to be connected in series/phase. (06 Marks)
- 6
  - a. Define voltage regulation. With a neat circuit diagram, explain briefly condition of z.p.f. (Potier) method in laboratory to obtain regulation of alternator. (10 Marks)
  - b. A 1200 KVA, 6600 V, 3 phase star connected alternator has its armature resistance  $0.25\ \Omega/\text{phase}$  and its synchronous reactance as  $5\ \Omega/\text{phase}$ . Calculate its regulation if it delivers a full load (i) at 0.8 p.f. lagging, (ii) 0.8 p.f. leading. (10 Marks)

- 7 a. Write the expression synchronizing power for salient pole machine. (05 Marks)  
b. Mention advantages of parallel operation and condition to be satisfied for successful operation of 3 phase alternators. (08 Marks)  
c. A 10 MVA, 3 phase alternator has an equivalent short circuit reactance 20%, calculate the synchronizing power of the armature/mechanical degree/phase displacement, when running in parallel on 10000 V, 50 Hz bus bar at 1500 rpm. (07 Marks)
- 8 a. Explain briefly Blondal diagram. (06 Marks)  
b. Explain 'v' and 'Λ' curves on synchronous motor. (06 Marks)  
c. A 230 V, 3φ star connected synchronous motor has a resistance of 0.2 Ω/phase and synchronous reactance of 2.2 Ω/phase. The motor is operating at 0.5 pf leading with a line current of 200 A. Determine the value of generated emf/phase. (08 Marks)

\* \* \* \* \*